



## Bullet Flood 1/2" Knuckle Mount

2 CCT: 30/50K

Project :

Type :

Part#:

### IS Linear Fixture Series

Inergy Solutions LED bullet flood lights are now available and in stock! Our line up features a 3000k or 5000k option in a 1/2" knuckle flood. The bullet area floods are equipped with a diecast aluminum housing, finished with a matte bronze powder coat, and illuminate the area with efficient LED lighting chips.

#### Detail Specifications:

- CRI 80 LED Chips
- 120-277V Driver, PF >0.9
- Non-Dimmable
- 40° Beam Angle
- Operating Temp: -4°-114°F

#### Mounting:

- 1/2" knuckle for all sizes
- Cord: #18 AWG stranded wires

#### Applications:

- Residential, Commercial, Industrial use
- General outdoor lighting
- Landscape lighting
- Pathways, streets, loading areas, etc

#### Product Information:

- Sturdy die-cast aluminum housing finished with corrosion free powder coat
- Suitable for wet location, IP65 rated
- Optical lens on each LED for optimal optics
- Compatible with on/off sensors and photocells
- L70 @ 70,000 Hours lumen maintenance

#### Certifications:

- ETL Listed for USA and CA
- DLC Listed
- IESNA LM-79 & LM-80 tests available
- FCC CFR 47, FCC Part 15, Subpart B:2017
- 5 Year Limited Warranty

#### What's included:

- LED Fixture
- Mounting Bracket
- Installation Guide



15W



28W



42W



IP65 RATED



# Bullet Flood 1/2" Knuckle Mount

2 CCT: 30/50K

Product  
**INSBF**  
①

Watts  
**2**

Color  
**BZ-KN-UNV**  
③

① Product	② Watts	③ Color
INSBF	15W 1800lm	30K 3000K
	28W 3500lm	50K 5000K
	42W 5250lm	



## Bullet Flood 1/2" Knuckle Mount

2 CCT: 30/50K

